**PharmLabs** Certificate of Analysis (COA)

Sample **THCp 15mg + D8 215mg + CBG 20mg/Batch 9G26001Y/Strawberry/PO5126**

| Delta9 THC **0.10%** | THCa **ND** | Total THC (THCa * 0.877 + THC) **0.10%** | Delta8 THC **3.35%** |
|---|---|---|---|

Sample ID **SD260803-012 (116422)** Matrix **Edible**

Received **Aug 03, 2026** Reported **Aug 07, 2026**

Analyses executed **CANX, D9C** Unit Mass (g) **9.909** Num. of Servings **2** Serving Size (g) **4.95**

Summary D9C: **The total Δ9-THC content in this sample is 0.10%. For the most accurate Δ9-THC concentration, refer to the GC MS/MS section of this COA.** This sample was tested using HPLC and GC MS/MS. HPLC analysis can yield inconsistent results for **Δ8-THC** and **Δ9-THC** due to isomer interference: GC MS/MS was employed to avoid this issue.

## D9C - D9 Confirmation

Analyzed **Aug 07, 2026** | Instrument **GC MS/MS** | Method **SOP-041 D9C**

The expanded Uncertainty of the D9 Confirmation analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte | LOD ppb | LOQ ppb | Result % | Result mg/g | Result mg/Serving | Result mg/Unit |
|---|---|---|---|---|---|---|
| Δ9-Tetrahydrocannabinol (Δ9-THC) | 1.462 | 4.432 | 0.10 | 1.01 | 5.00 | 10.01 |
| **Total Cannabinoids Analyzed** | - | - | 0.10 | 1.01 | 5.00 | 10.01 |

## CANx - Cannabinoids

Analyzed **Aug 04, 2026** | Instrument **HPLC-VWD** | Method **SOP-001**

The expanded Uncertainty of the Cannabinoids analysis is approximately ±7.81% at the 95% Confidence Level

| Analyte | LOD mg/g | LOQ mg/g | Result % | Result mg/g | Result mg/Serving | Result mg/Unit |
|---|---|---|---|---|---|---|
| 11-Hydroxy-Δ8-Tetrahydrocannabivarin (11-Hyd-Δ8-THCV) | 0.013 | 0.041 | ND | ND | ND | ND |
| Cannabidiorcin (CBDO) | 0.006 | 0.02 | ND | ND | ND | ND |
| Abnormal Cannabidiorcin (a-CBDO) | 0.013 | 0.038 | ND | ND | ND | ND |
| (+/-)-9B-hydroxy-Hexahydrocannibinol (9b-HHC) | 0.015 | 0.045 | ND | ND | ND | ND |
| 11-Hydroxy-Δ8-Tetrahydrocannabinol (11-Hyd-Δ8-THC) | 0.015 | 0.045 | ND | ND | ND | ND |
| Cannabidiolic Acid (CBDA) | 0.033 | 0.16 | ND | ND | ND | ND |
| Cannabigerol Acid (CBGA) | 0.033 | 0.16 | ND | ND | ND | ND |
| Cannabigerol (CBG) | 0.048 | 0.16 | 0.44 | 4.44 | 21.98 | 44.00 |
| Cannabidiol (CBD) | 0.069 | 0.229 | ND | ND | ND | ND |
| 1(S)-Tetrahydrocannabidiol (1(S)-H4-CBD) | 0.008 | 0.026 | ND | ND | ND | ND |
| 1(R)-Tetrahydrocannabidiol (1(R)-H4-CBD) | 0.016 | 0.049 | ND | ND | ND | ND |
| Tetrahydrocannabivarin (THCV) | 0.049 | 0.162 | <LOQ | <LOQ | <LOQ | <LOQ |
| Δ8-tetrahydrocannabivarin (Δ8-THCV) | 0.012 | 0.036 | 0.04 | 0.35 | 1.73 | 3.47 |
| Cannabidihexol (CBDH) | 0.014 | 0.042 | ND | ND | ND | ND |
| Tetrahydrocannabutol (Δ9-THCB) | 0.01 | 0.029 | ND | ND | ND | ND |
| Cannabinol (CBN) | 0.047 | 0.16 | 0.03 | 0.26 | 1.29 | 2.58 |
| Cannabidiphorol (CBDP) | 0.016 | 0.049 | ND | ND | ND | ND |
| exo-THC (exo-THC) | 0.016 | 0.8 | ND | ND | ND | ND |
| Tetrahydrocannabinol (Δ9-THC) | 0.092 | 0.307 | D9C | D9C | D9C | D9C |
| Δ8-tetrahydrocannabinol (Δ8-THC) | 0.044 | 0.16 | 3.35 | 33.50 | 165.82 | 331.95 |
| (6aR,9S)-Δ10-Tetrahydrocannabinol ((6aR,9S)-Δ10) | 0.015 | 0.8 | ND | ND | ND | ND |
| Hexahydrocannabinol (S Isomer) (9s-HHC) | 0.017 | 0.8 | ND | ND | ND | ND |
| (6aR,9R)-Δ10-Tetrahydrocannabinol ((6aR,9R)-Δ10) | 0.007 | 0.8 | ND | ND | ND | ND |
| Hexahydrocannabinol (R Isomer) (9r-HHC) | 0.016 | 0.8 | ND | ND | ND | ND |
| Tetrahydrocannabinolic Acid (THCA) | 0.117 | 0.389 | ND | ND | ND | ND |
| Δ9-Tetrahydrocannabihexol (Δ9-THCH) | 0.02 | 0.061 | ND | ND | ND | ND |
| Cannabinol Acetate (CBNO) | 0.009 | 0.027 | ND | ND | ND | ND |
| 9(S)-Hexahydrocannabinolic Acid (9(S)-HHCa) | 0.063 | 0.065 | ND | ND | ND | ND |
| 9(R)-Hexahydrocannabinolic Acid (9(R)-HHCa) | 0.191 | 0.196 | ND | ND | ND | ND |
| Δ9-Tetrahydrocannabiphorol (Δ9-THCP) | 0.017 | 0.8 | 0.37 | 3.71 | 18.36 | 36.76 |
| Δ8-Tetrahydrocannabiphorol (Δ8-THCP) | 0.041 | 0.8 | <LOQ | <LOQ | <LOQ | <LOQ |
| Cannabicitran (CBT) | 0.005 | 0.16 | <LOQ | <LOQ | <LOQ | <LOQ |
| Δ8-THC-O-acetate (Δ8-THCO) | 0.076 | 0.8 | ND | ND | ND | ND |
| 9(S)-HHCP (s-HHCP) | 0.013 | 0.041 | ND | ND | ND | ND |
| Δ9-THC-O-acetate (Δ9-THCO) | 0.066 | 0.8 | ND | ND | ND | ND |
| 9(R)-HHCP (r-HHCP) | 0.015 | 0.045 | ND | ND | ND | ND |
| 9(S)-HHC-O-acetate (s-HHCO) | 0.037 | 0.112 | ND | ND | ND | ND |
| 9(R)-HHC-O-acetate (r-HHCO) | 0.031 | 0.093 | ND | ND | ND | ND |
| 3-octyl-Δ8-Tetrahydrocannabinol (Δ8-THC-C8) | 0.021 | 0.062 | ND | ND | ND | ND |
| **Total THC ( THCa * 0.877 + Δ9THC )** | | | D9C | D9C | D9C | D9C |
| **Total THC + Δ8THC + Δ10THC ( THCa * 0.877 + Δ9THC + Δ8THC + Δ10THC )** | | | 3.35 | 33.50 | 165.82 | 331.95 |
| **Total CBD ( CBDa * 0.877 + CBD )** | | | ND | ND | ND | ND |
| **Total CBG ( CBGa * 0.877 + CBG )** | | | 0.44 | 4.44 | 21.98 | 44.00 |
| **Total HHC ( 9r-HHC + 9s-HHC )** | | | ND | ND | ND | ND |
| **Total Cannabinoids Analyzed** | | | 4.23 | 42.26 | 209.19 | 418.75 |



UI Unidentified
ND Not Detected
N/A Not Applicable
NT Not Reported
LOD Limit of Detection
LOQ Limit of Quantification
<LOQ Detected below the limit of quantification
>ULOL Above the upper limit of linearity
mg/g Milligrams per gram
ug/g Micrograms per gram
ug/kg Micrograms per kilogram
EU/mg Endotoxin units per milligram
CFU/g Colony-forming units per gram
TNTC Too Numerous to Count

F.I.L.A. Testing Acc. #85368

DEA license: RP0611043
ISO/IEC 17025:2017 Acc. 85368
COA version: V1
Generated: Aug 07, 2026 10:22 AM PDT

Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Quality Assurance Manager
Fri, 07 Aug 2026 10:22:43 -0700



PharmWare LABORATORY LIMS & ELN

PharmLabs hereby states that its Certificates of Analysis (COA) do not certify compliance with any federal, state, or local law or regulation, including but not limited to the 2018 Farm Bill. This COA is provided solely for informational purposes and is not intended for reliance by consumers or purchasers of a product. This report shall not be reproduced, except in full, without the prior written approval of PharmLabs. This report is not intended to diagnose, treat, cure, or prevent any disease. Results apply only to the specific sample(s) and batch(es) identified on this COA and do not represent any other lot, batch, or product from the client. Measurement of uncertainty is available upon request and, when legally required, has been reported on the certificate. PharmLabs makes no representation or warranty, express or implied, regarding the tested product's safety, efficacy, quality, merchantability, or fitness for a particular purpose. PharmLabs expressly disclaims any liability for damages, claims, costs, or expenses arising out of the use, misuse, or reliance upon this COA by any party. PharmLabs relies on information provided by the client regarding the identity, sampling, and chain of custody of the submitted material. PharmLabs assumes no responsibility for errors, omissions, or misrepresentations in such information. It is the sole responsibility of the client to determine and ensure the compliance of their product(s) with all applicable federal, state, and local laws and regulations. This COA may not be used in whole or in part for marketing, advertising, promotional, or labeling purposes without the prior written consent of PharmLabs. This COA is valid only as of the date of issuance and does not guarantee the stability or continued conformity of the tested product beyond that date. Any dispute arising out of or related to this COA shall be governed by the laws of the State of California, without regard to its conflict of laws principles.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

## Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

## Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

## Grim Creeper

Ingestible, Gummy




## Tests Summary

| | | |
|---|---|---|
| **Cannabinoids**<br>Not Tested | **Moisture**<br>Not Tested | **Microbials**<br>Pass |
| **Water Activity**<br>Pass | **Foreign Matter**<br>Pass | **Homogeneity**<br>Not Tested |
| **Terpenes**<br>Not Tested | **Contaminant Load**<br>Not Tested | **Residual Solvents**<br>Pass |
| **Mycotoxins**<br>Pass | **Heavy Metals**<br>Pass | **Pesticides**<br>Pass |
| **Kratom**<br>Not Tested | | |

ACCREDITED
CERT #7425.05



**Sean Santiago**
**Lab Manager**

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

## Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

## Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

## Grim Creeper

Ingestible, Gummy

## Microbials

Pass

**Sample Prep**
**Tech:** 4302
**SOP:** SOP 406-FL
**Batch Number:** WTYMFL-FL0822-0009503
**Batch Date:** 08/21/2026 20:11

**Sample Analysis**
**Date/Time:** 08/24/2026 10:39
**Tech:** 4509
**SOP:** SOP 406-FL
**Instrument:** AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835 / 3M Petrifilm Plate Reader
**Initial Weight:** 3.022 g
**Final Weight:** 3.022 g
**Dilution Factor for Sample:** 1

| Analyte | Limit (CFU/g) | Result | Status |
|---|---|---|---|
| Yeast & Mold | 100,000 | ND | Passed |
| Salmonella | None Present | Absence | Passed |
| Aspergillus Flavus | None Present | Absence | Passed |
| Aspergillus Fumigatus | None Present | Absence | Passed |
| Aspergillus Niger | None Present | Absence | Passed |
| Aspergillus Terreus | None Present | Absence | Passed |
| STEC E. Coli | None Present | Absence | Passed |
| Total Aerobic Microbial Count | | ND | Tested |

ACCREDITED
CERT #7425.05



**Sean Santiago**
**Lab Manager**

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

## Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

## Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

## Grim Creeper

Ingestible, Gummy

## Water Activity

Pass

**Sample Prep**
**Tech:** 4524
**SOP:** SOP 407-FL
**Batch Number:** WWAFL-FL0820-0009365
**Batch Date:** 08/20/2026 10:18

**Sample Analysis**
**Date/Time:** 08/20/2026 14:21
**Tech:** 4521
**SOP:** SOP 407-FL
**Instrument:** Rotronic Water Activity Meter - 3530 / MOC63u Balance - 2900
**Initial Weight:** 1.053 g
**Final Weight:** 1.053 g

| Analyte | Limit (aw) | aw | Status |
|---|---|---|---|
| Water Activity | 0.85 | **0.59** | Passed |

ACCREDITED
CERT #7425.05



**Sean Santiago**
**Lab Manager**

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

## Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

## Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

## Grim Creeper

Ingestible, Gummy

## Foreign Matter

Pass

**Sample Prep/Analysis**
**Tech:** 4302
**SOP:** SOP 409-FL
**Batch Date:** 08/21/2026 08:07

**Sample Analysis**
**Date/Time:** 08/21/2026 10:41
**Tech:** 4521
**SOP:** SOP 409-FL
**Initial Weight:** 1 g
**Final Weight:** 1 g

| Analyte | Limit (%) | % | Status |
|---|---|---|---|
| FM Weight | 1 | 0.00 | Passed |
| FM Sample Area | 10 | 0.00 | Passed |
| Feces, Mold, Mildew, and/or Fungus | 0 | Absence | Passed |

ACCREDITED
CERT #7425.05



Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

## Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

## Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

## Grim Creeper

Ingestible, Gummy

## Residual Solvents

Pass

**Sample Prep**
**Tech:** 3358, 4509
**SOP:** SOP 405-FL
**Batch Number:** WRSVFL-FL0820-0009355
**Batch Date:** 08/19/2026 20:58

**Sample Analysis**
**Date/Time:** 08/21/2026 14:28
**Tech:** 4509
**SOP:** SOP 405-FL
**Instrument:** GCMS-HS - 3015
**Initial Weight:** 0.107 g
**Final Weight:** 0.107 g
**Dilution Factor for Sample:** 1

| Analyte | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm | Status |
|---|---|---|---|---|---|
| 1,2-Dichloroethane | 0.7 | 1.0 | 2.0 | ND | Passed |
| Acetone | 2.0 | 20.0 | 750.0 | ND | Passed |
| Acetonitrile | 2.0 | 20.0 | 60.0 | ND | Passed |
| Benzene | 0.2 | 0.4 | 1.0 | ND | Passed |
| Butane | 10.0 | 20.0 | 5,000.0 | ND | Passed |
| Chloroform | 0.2 | 0.4 | 2.0 | ND | Passed |
| Ethanol | 20.0 | 40.0 | 5,000.0 | **246** | Passed |
| Ethyl Acetate | 2.0 | 20.0 | 400.0 | < LOQ | Passed |
| Ethyl Ether | 20.0 | 40.0 | 500.0 | ND | Passed |
| Ethylene Oxide | 0.7 | 2.0 | 5.0 | ND | Passed |
| Heptane | 20.0 | 40.0 | 5,000.0 | ND | Passed |
| Hexanes | 4.0 | 8.0 | 250.0 | ND | Passed |
| Isopropyl Alcohol | 20.0 | 40.0 | 500.0 | ND | Passed |
| Methanol | 20.0 | 40.0 | 250.0 | ND | Passed |
| Methylene Chloride | 20.0 | 40.0 | 125.0 | ND | Passed |
| Pentanes | 6.7 | 13.3 | 750.0 | ND | Passed |
| Propane | 2.0 | 20.0 | 5,000.0 | ND | Passed |
| Toluene | 2.0 | 20.0 | 150.0 | ND | Passed |
| Trichloroethylene | 1.0 | 2.0 | 25.0 | ND | Passed |
| Total Xylenes | | | 150.0 | ND | Passed |
| 1,1-Dichloroethene | 0.7 | 2.0 | 8.0 | ND | Passed |



Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

## Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

## Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

## Grim Creeper

Ingestible, Gummy

## Mycotoxins

Pass

**Sample Prep**
**Tech:** 3358
**SOP:** SOP 424-FL
**Batch Number:** WPMCFL-FL0819-0009350
**Batch Date:** 08/19/2026 19:14

**Sample Analysis**
**Date/Time:** 08/20/2026 19:56
**Tech:** 4509
**SOP:** SOP 424-FL
**Instrument:** LC-MS/MS - 2998
**Initial Weight:** 0.101 g
**Final Weight:** 0.101 g
**Dilution Factor for Sample:** 2.5

| Analyte | LOD (ppb) | LOQ (ppb) | Limit (ppb) | ppb | Status |
|---|---|---|---|---|---|
| B1 | 1.980 | 9.901 | 20.000 | ND | Passed |
| B2 | 1.980 | 9.901 | 20.000 | ND | Passed |
| G1 | 1.980 | 9.901 | 20.000 | ND | Passed |
| G2 | 1.980 | 9.901 | 20.000 | ND | Passed |
| Ochratoxin A | 1.980 | 9.901 | 20.000 | ND | Passed |



Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

## Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

## Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

## Grim Creeper

Ingestible, Gummy

## Heavy Metals

Pass

**Sample Prep**
**Tech:** 4509
**SOP:** SOP 428-FL
**Batch Number:** WMTLFL-FL0819-0009317
**Batch Date:** 08/19/2026 14:13

**Sample Analysis**
**Date/Time:** 08/24/2026 12:26
**Tech:** 4509
**SOP:** SOP 428-FL
**Instrument:** ICP-MS - 2837
**Initial Weight:** 0.238 g
**Final Weight:** 0.238 g
**Dilution Factor for Sample:** 50

| Analyte | LOD (ppb) | LOQ (ppb) | Limit (ppb) | ppb | Status |
|---|---|---|---|---|---|
| Arsenic | 8.610 | 78.748 | 1,500.000 | ND | Passed |
| Cadmium | 5.670 | 78.748 | 500.000 | ND | Passed |
| Mercury | 6.300 | 78.748 | 3,000.000 | ND | Passed |
| Nickel | 81.268 | 236.245 | 3,000.000 | ND | Passed |
| Lead | 5.670 | 236.245 | 500.000 | < LOQ | Passed |
| Tin | 237.295 | 314.994 | 4,000.000 | ND | Passed |



Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

Recreational LLC
Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

Sample: SFLNKT0819-IGUM-0009063
Unit Weight: 4.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

Grim Creeper
Ingestible, Gummy

## Pesticides

Pass

**Sample Prep**
**Tech:** 3358
**SOP:** SOP 424-FL
**Batch Number:** WPMCFL-FL0819-0009350
**Batch Date:** 08/19/2026 19:14

**Sample Analysis**
**Date/Time:** 08/20/2026 19:56
**Tech:** 4509
**SOP:** SOP 424-FL
**Instrument:** LC-MS/MS - 2998 / GC-MS/MS - 3017
**Initial Weight:** 0.642 g
**Final Weight:** 0.642 g
**Dilution Factor for Sample:** 2.5 (LCMS), 10 (GCMS)

| Analyte | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm | Status |
|---|---|---|---|---|---|
| Abamectin | 0.009 | 0.022 | 0.300 | ND | Passed |
| Acephate | 0.010 | 0.025 | 3.000 | ND | Passed |
| Acequinocyl | 0.010 | 0.025 | 2.000 | ND | Passed |
| Acetamiprid | 0.002 | 0.010 | 3.000 | ND | Passed |
| Aldicarb | 0.005 | 0.020 | 0.100 | ND | Passed |
| Azoxystrobin | 0.002 | 0.010 | 3.000 | ND | Passed |
| Bifenazate | 0.002 | 0.010 | 3.000 | ND | Passed |
| Bifenthrin | 0.010 | 0.025 | 0.500 | ND | Passed |
| Boscalid | 0.012 | 0.050 | 3.000 | ND | Passed |
| Carbaryl | 0.005 | 0.010 | 0.500 | ND | Passed |
| Carbofuran | 0.002 | 0.010 | 0.100 | ND | Passed |
| Chlorantraniliprole | 0.002 | 0.010 | 3.000 | ND | Passed |
| Chlorpyrifos | 0.010 | 0.025 | 0.100 | ND | Passed |
| Clofentezine | 0.010 | 0.025 | 0.500 | ND | Passed |
| Coumaphos | 0.010 | 0.050 | 0.100 | ND | Passed |
| Cyfluthrin | 0.010 | 0.100 | 1.000 | ND | Passed |
| Cypermethrin | 0.010 | 0.100 | 1.000 | ND | Passed |
| Daminozide | 0.010 | 0.025 | 0.100 | ND | Passed |
| Diazinon | 0.002 | 0.010 | 0.200 | ND | Passed |
| Dichlorvos | 0.010 | 0.025 | 0.100 | ND | Passed |
| Dimethoate | 0.002 | 0.010 | 0.100 | ND | Passed |
| Dimethomorph | 0.003 | 0.011 | 3.000 | ND | Passed |
| Ethoprophos | 0.002 | 0.010 | 0.100 | ND | Passed |
| Etofenprox | 0.002 | 0.010 | 0.100 | ND | Passed |
| Etoxazole | 0.002 | 0.010 | 1.500 | ND | Passed |
| Fenhexamid | 0.010 | 0.050 | 3.000 | ND | Passed |
| Fenoxycarb | 0.002 | 0.010 | 0.100 | ND | Passed |
| Fenpyroximate | 0.002 | 0.020 | 2.000 | ND | Passed |
| Fipronil | 0.002 | 0.010 | 0.100 | ND | Passed |
| Flonicamid | 0.005 | 0.020 | 2.000 | ND | Passed |
| Fludioxonil | 0.005 | 0.010 | 3.000 | ND | Passed |
| Hexythiazox | 0.005 | 0.020 | 2.000 | ND | Passed |
| Imazalil | 0.010 | 0.025 | 0.100 | ND | Passed |
| Imidacloprid | 0.025 | 0.124 | 3.000 | ND | Passed |
| Kresoxim Methyl | 0.005 | 0.010 | 1.000 | ND | Passed |
| Malathion | 0.020 | 0.050 | 2.000 | ND | Passed |
| Mevinphos | 0.009 | 0.022 | 0.100 | ND | Passed |
| Metalaxyl | 0.002 | 0.010 | 3.000 | ND | Passed |
| Methiocarb | 0.002 | 0.010 | 0.100 | ND | Passed |
| Methomyl | 0.002 | 0.010 | 0.100 | ND | Passed |
| Myclobutanil | 0.005 | 0.025 | 3.000 | ND | Passed |
| Naled | 0.020 | 0.025 | 0.500 | ND | Passed |

ACCREDITED
CERT #7425.05



Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

# Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
seansantiago@actlab.com

## Recreational LLC

Order No.: OFLNKT0819-0016277
1111 Enterprise Ct STE G
Florida, 32117
mike@sipnektr.com
3863419388

## Sample: SFLNKT0819-IGUM-0009063

Unit Weight: 4.5000g , Sample Size for Testing: 1.0000 Units
Batch#: 260810
COA Expiration Date: 08/19/2027
**MMTC Information**
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

## Grim Creeper

Ingestible, Gummy

| Analyte | LOD (ppm) | LOQ (ppm) | Limit (ppm) | ppm | Status |
|---|---|---|---|---|---|
| Oxamyl | 0.002 | 0.010 | 0.500 | ND | Passed |
| Paclobutrazol | 0.002 | 0.010 | 0.100 | ND | Passed |
| Permethrin | 0.010 | 0.025 | 1.000 | ND | Passed |
| Phosmet | 0.005 | 0.025 | 0.200 | ND | Passed |
| Piperonyl Butoxide | 0.002 | 0.010 | 3.000 | ND | Passed |
| Prallethrin | 0.010 | 0.025 | 0.400 | ND | Passed |
| Propiconazole | 0.010 | 0.025 | 1.000 | ND | Passed |
| Propoxur | 0.002 | 0.010 | 0.100 | ND | Passed |
| Pyrethrins | 0.033 | 0.066 | 1.000 | ND | Passed |
| Pyridaben | 0.002 | 0.010 | 3.000 | ND | Passed |
| Spinetoram | 0.007 | 0.018 | 3.000 | ND | Passed |
| Spinosyn AD | 0.010 | 0.042 | 3.000 | ND | Passed |
| Spiromesifen | 0.002 | 0.010 | 3.000 | ND | Passed |
| Spirotetramat | 0.005 | 0.025 | 3.000 | ND | Passed |
| Spiroxamine | 0.002 | 0.010 | 0.100 | ND | Passed |
| Tebuconazole | 0.010 | 0.025 | 1.000 | ND | Passed |
| Thiacloprid | 0.002 | 0.010 | 0.100 | ND | Passed |
| Thiamethoxam | 0.002 | 0.010 | 1.000 | ND | Passed |
| Trifloxystrobin | 0.002 | 0.010 | 3.000 | ND | Passed |
| Methyl Parathion | 0.010 | 0.020 | 0.100 | ND | Passed |
| Chlordane | 0.010 | 0.020 | 0.100 | ND | Passed |
| Chlorfenapyr | 0.010 | 0.020 | 0.100 | ND | Passed |
| Chlormequat Chloride | 0.002 | 0.010 | 3.000 | ND | Passed |
| Pentachloronitrobenzene | 0.010 | 0.050 | 0.200 | ND | Passed |

ACCREDITED
CERT #7425.05



Sean Santiago
Lab Manager

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.